




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>H04N 5/445</b>		A1	(11) International Publication Number: <b>WO 98/27723</b>
			(43) International Publication Date: 25 June 1998 (25.06.98)
(21) International Application Number: PCT/US97/23852		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 19 December 1997 (19.12.97)			
(30) Priority Data: 60/034,784 19 December 1996 (19.12.96) US			
(71) Applicant (for all designated States except US): E GUIDE, INC. [US/US]; West Tower - 7th floor, 9100 Wilshire Boulevard, Beverly Hills, CA 90212 (US).			
(72) Inventors; and			
(75) Inventors/Applicants (for US only): YUEN, Henry, C. [US/US]; P.O. Box 1159, Redondo Beach, CA 90278 (US). MANKOVITZ, Roy, J. [US/US]; 18057 Medley Drive, Encino, CA 91316 (US). KWOH, Daniel, S. [US/US]; 3975 Hampstead Road, La Canada/Flintridge, CA 91011 (US). LEUNG, Elsie, Y. [US/US]; 1302 Via Del Rey, South Pasadena, CA 91030 (US).		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(74) Agent: RAHN, LeRoy, T.; Christie, Parker & Hale, LLP, P.O. Box 7068, Pasadena, CA 91109-7068 (US).			

(54) Title: EPG WITH ADVERTISING INSERTS

## (57) Abstract

Advertisements (50) are inserted in an EPG on the screen (40) of a display monitor (20) between the individual television program listings. Specifically, a memory (22, 34) stores EPG data and advertising data. A microprocessor (24) is programmed to recover EPG data corresponding to a number of television programs and advertising data from the memory. The microprocessor controls the monitor to display the recovered EPG data on the screen in lines of television program listings, each television program listing being displayed in a separate line, and to display the recovered advertising data in a line on the screen instead of one of the television program listings. The EPG and advertising data are displayed in a first area (46) of the screen and a detail window is displayed in a second area (44) of the screen. One of the lines of EPG data is highlighted with a cursor (48). A description of the television program listing highlighted by the cursor is inserted in the second area. When the line of advertising data is highlighted with the cursor, an information relating to the advertising data is inserted in the second area.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## EPG WITH ADVERTISING INSERTS

## 5 BACKGROUND

This invention relates to electronic program guides that incorporate advertising messages or words.

As the number of television channels available on cable and by satellite expands, an on-screen electronic program guide (EPG) become more indispensable. Such an EPG permits the  
10 user to sort the available present and future programming by theme, time, and channel. As a result, the user can find a program of interest more easily.

It is costly to collect EPG data for display and to transmit such data to the consumer. Thus, there is a need to find a way to recover the cost of these activities.

## 15 SUMMARY

According to the invention, advertisements are inserted in an EPG on the screen of a display monitor between the individual television program listings. Specifically, a memory stores EPG data and advertising data. A microprocessor is programmed to recover EPG data corresponding to a number of television programs and advertising data from the memory. The  
20 microprocessor controls the monitor to display the recovered EPG data on the screen in lines of television program listings, each television program listing being displayed in a separate line, and to display the recovered advertising data in a line on the screen instead of one of the television program listings.

In a preferred embodiment, the EPG and advertising data are displayed in a first area of  
25 the screen and a detail window is displayed in a second area of the screen. One of the lines of EPG data is highlighted with a cursor. A description of the television program listing highlighted by the cursor is inserted in the second area. When the line of advertising data is highlighted with the cursor, a description relating to the advertising data is inserted in the second area.

30

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic block diagram of apparatus for carrying out the invention; and  
FIG. 2 is a screen format produced by the apparatus of FIG. 1.

## 35 DETAILED DESCRIPTION OF THE DRAWINGS

The disclosures of United States application number 08/475,395, filed on June 7, 1995 and application number 08/728,614, filed on October 10, 1996 are incorporated fully herein by reference. As illustrated in the former application, a source of television signals 10 in FIG. 1

such as a terrestrial antenna, or a cable is connected to a television tuner 11. The output of tuner 11 is a modulated intermediate frequency signal containing video and audio television information. Tuner 11 is connected by an intermediate frequency amplifier (IF AMP) 12 to a picture detector (PICTURE DET) 13 and a sound detector (SOUND DET) 14, which produce base band video and audio signals, respectively. The audio signal is coupled by a sound amplifier (SOUND AMP) 15 to a loudspeaker 16. The video signal is coupled by a video amplifier not shown to one input of a switch 18. Sound detector 14 and picture detector 13 are connected to the audio and video inputs, respectively, of a video cassette recorder (VCR) 17. (Alternatively, television signal source 10 could be directly connected to the RF input of VCR 17, if its internal tuner and demodulating circuitry is to be utilized.) The output of VCR 17 is connected to the other input of switch 18. The output of switch 18 is connected to one input of a conventional picture-in-picture (PIP) integrated circuit chip 19. The output of PIP chip 19 is connected to the video input of a television receiver or monitor (TV) 20 having a screen (not shown).

An updatable data base of the schedule of program listings of all the available channels for a prescribed period of time, e.g. a day or a week, is electronically stored in a program schedule memory 22. These program listings typically include for each program the title, a program description, the day of the week, the start time of the day, the program length, and the channel on which the program is transmitted and thus available for reception at source 10. In a preferred embodiment of the invention, the period of time for which the program listings are stored is different for the guides, depending upon viewer priorities and preferences. For example, the information needed to display the TISPG and CSPG may be stored for one or two days and the information needed to display the TSPG may be stored for a week or more. The data base can be updated by a continuous data link in the vertical blanking interval (VBI) of one television channel broadcast to the television receiver in well known fashion. Alternatively, the data base can be updated by unplugging memory 22 and replacing it with a memory having the updated data base. Memory 22 is connected to a microprocessor 24 that is programmed to control the operation of the described equipment. An operating program for microprocessor 24 is stored in a read only memory (ROM) 26. A viewer input device 28, preferably in the form of a remote IR controller, is coupled to microprocessor 24 to provide commands from the viewer. A video processor 30 is coupled to microprocessor 24. When the viewer wishes to see television program listings, microprocessor 24 recalls a portion of the program schedule data base from memory 22 and couples it to video processor 30, where the program listings are formatted for display. Preferably, the information stored in video processor 30 is a bit map of what is displayed on the screen of television receiver 20. Video processor 30 is connected to the other input of PIP chip 19. Preferably, viewer input device 28 controls microprocessor 24 by cursor

movement on the screen of television receiver 20. To this end, microprocessor 24 and video processor 30 are coupled to a cursor position register 32. (Alternatively, the viewer can select items of information displayed on the screen by keying into viewer input device 28 code numbers assigned to these items.) Microprocessor 24 is also coupled to tuner 11 for channel change, to VCR 17 for play/record selection and start/stop, to switch 18 for selection of one of its inputs, and to PIP chip 19 for selection of the mode of PIP operation.

The format of the electronic program guide is shown in FIGS. 2. The format has a background area 40 and an overlaid PIP window 42 in the upper left-hand corner of the screen. The real time, i.e., 5:11 p.m., is displayed in a sub-area 42a of PIP window 42. Background area 40 includes a banner and message prompting area 43 at the top of the screen, a program description area 44 in the upper right-hand corner of the screen adjacent to PIP window 42, and a program schedule area 46 below areas 42 and 44. Program description area 44 includes the start time and length (duration) of the program being described. In area 46, EPG data retrieved from memory 22 is displayed in lines, each program listing being displayed in a separate line. The viewer can move a cursor 48 vertically to highlight one of the lines of program listings displayed in area 46. The highlighted background of cursor 48 and the background of program description area 44 are preferably the same color or shade. The complete, moving images of a currently broadcast television program in real time and the current time are displayed in PIP window 42 and the audio portion of the television program displayed in PIP window 42 is reproduced by the sound system of monitor 20.

Advertising inserts are displayed on the screen between the lines of program listings in program schedule area 46 and related information or announcements are displayed in description area 44. With reference to FIG. 1, the advertising inserts are preferably transmitted in the VBI as part of the program schedule information and stored at the television receiver in RAM, represented functional as an advertising insert memory 34. Preferably the inserts are transmitted as part of the packets of information about the programs, i.e., SIPs, with which the advertising inserts are displayed. The apparatus of FIG. 1 functions as described in 08/475,395, the advertising inserts being treated as part of the program listings displayed in area 46 and the brief program descriptions displayed in area 44.

In practice, memory 34 and memory 22 could be physically incorporated in a single RAM. Addresses for the advertising inserts could be stored as part of the pre-established time lists for the programs with which the advertising inserts are displayed. Thus, the addresses link the time lists to the advertising inserts, and each advertising insert is only stored once in memory 34. By linking the advertising inserts to the time lists, the displayed advertising insert becomes time dependent. Thus, the content of the displayed advertisements can, to some extent, be directed

to the interests of the viewers. Advertisements of interest to housewives would be displayed in the morning and advertisements of interest to children would be displayed in the early evening.

5       As illustrated in FIG. 2, an advertising insert 50 is preferably displayed as a line below the listing, "NBC 4 NEWS" of the television program that the advertiser, e.g., Coca Cola, sponsors. However, it is not necessary that there be a relationship between the position of the advertiser and the television program, depending on the circumstances. To obtain more information about the subject of advertising insert 50, the viewer highlights the line with cursor  
10       48; then such information is displayed in area 44, instead of information about a television program. For example, the announcement in area 44 could inform the viewer that the advertised product is on sale in articular retail establishment at a particular price or give an more detailed product description.

15

20


25

30


35

## CLAIMS:

- 5        1.        Apparatus for displaying advertisements comprising:  
         a memory for storing EPG data and advertising data;  
         a display monitor having a screen;  
         means for accessing the memory to recover EPG data corresponding to a number of  
television programs;  
10        means for displaying the recovered EPG data on the screen in lines of television program  
listings, each television program listing being displayed in a separate line;  
         means for accessing the memory to recover advertising data; and  
         means for inserting the recovered advertising data in a line on the screen instead of one  
of the television program listings.
- 15        2.        The apparatus of claim 1, in which the EPG data is displayed in a first area of the screen,  
the apparatus additionally comprising:  
         means for highlighting one of the lines of EPG data on the screen with a cursor;  
         means for displaying a detail window in a second area of the screen; and  
20        means for inserting a description of the television program listing highlighted by the  
cursor in the second area.
3.        The apparatus of claim 2, additionally comprising:  
         means for highlighting the line of advertising data on the screen with a cursor; and  
25        means for inserting information relating to the advertising data highlighted by the cursor  
in the second area.
- 30
- 35







## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/23852

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) :H04N 5/445

US CL :345/327, 348/906, 565, 7

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 345/327, 348/906, 565, 7, 6, 12, 10, 731, 734, 564, 565, 569

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	US 5,589,892 A (KNEE ET AL.) 31 DECEMBER 1996, FIGURE 48.	1-3
A	US 5,541,738 A (MANKOVITZ) 30 JULY 1996, FIGURE 9.	1-3

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*B* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

23 MARCH 1998

Date of mailing of the international search report

04.06.98

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer  
*Nathan Flynn*  
NATHAN FLYNN

Telephone No. (703) 305-9703